

Statutory Instrument No. 85 of 1981

CUSTOMS AND EXCISE DUTY ACT
(Cap. 50:01)
AMENDMENT OF SCHEDULES (NO. 22) NOTICE, 1981
(Published on 4th September, 1981)

IN EXERCISE of the powers conferred on the Minister of Finance and Development Planning by sections 49 and 50 of the Customs and Excise Duty Act, the Schedules to the Act are amended to the extent set out in the Schedule.

SCHEDULE NO. 1 TO THE ACT

I Tariff Heading	II Statistical Unit	III Fiscal	IV Rate of Duty General	V M.F.N.	
29.15	By the substitution for subheading No. 29.15.60 of the following: "29.15.60 Phthalic anhydride	kg	20%	free	free
	By the substitution for subheading No. 29.15.70.10 of the following: ".10 Dibutyl phthalate	kg	20%	free	free
	By the substitution for subheading No. 29.15.75 of the following: "29.15.75 Dioctyl adipate	kg	20%		
38.19	By the substitution for subheading No. 38.19.72 of the following: "38.19.72 Phthalic acid esters of mixed aliphatic alcohols	kg	20%	free	free
53.11	By the substitution for subheading No. 53.11.10.50 of the following: ".50 Other, of a value for duty purposes, per m ² exceeding 2,10 UA	m ²	25% or 10,50 UA kg less 75%"	free	free
Chapter 84	By the deletion of Note 6 to Chapter 84				
84.62	By the substitution for tariff heading No. 84.62 of the following: "84.62 BALL, ROLLER OR NEEDLE ROLLER BEARINGS:				
	84.62.05 Radial deep groove ball bearings, single row, with a square bore, with an aggregate of the bore across the square plus outside diameter plus width of 140 mm or more but not exceeding 154 mm (excluding those with an outside diameter of less than 31 mm or exceeding 190 mm)	no.	30% or 0,0965 UA per mm less 87,5%	free	free
	84.62.06 Radial deep groove ball bearings, single row (excluding angular contact bearings, those with a				

	square bore and those with an outside diameter of less than 31 mm or exceeding 130 mm), with an aggregate of the inside diameter plus outside diameter plus width:				
	.10 Of 61 mm or more but exceeding 92 mm (excluding those with extended inner rings)	no.	30% or 0,015 UA per mm less 87,5%	free	free
	.15 Exceeding 92 mm but not exceeding 124 mm (excluding those with extended inner rings)	no.	30% or 0,0185 UA per mm less 87,5%	free	free
	.20 Exceeding 124 mm but not exceeding 160 mm (excluding those with extended inner rings)	no.	30% or 0,023 UA per mm less 87,5%	free	free
	.25 Exceeding 160 mm but not exceeding 192 mm (excluding those with extended inner rings)	no.	30% or 0,03 UA per mm less 87,5%	free	free
	.30 Exceeding 192 mm but not exceeding 230 mm (excluding those with extended inner rings)	no.	30% or 0,037 UA per mm less 87,5%	free	free
	.35 Exceeding 96 mm but not exceeding 173 mm, with extended inner rings	no.	30% or 0,0265 UA per mm less 87,5%	free	free
	.90 Other	no.	free	free	free
84.62.15	Other ball bearings:				
	.10 With an outside diameter of 31 mm or more but not exceeding 130 mm	no.	3%	free	free
	.90 Other	no.	free	free	free
84.62.20	Tapered roller bearings, single row, including cup and cone assemblies (excluding those with an outside diameter of less than 31 mm or exceeding 130 mm):				
	.25 Cone assemblies, with an aggregate of the inside diameter plus width of 31 mm or more but not exceeding 65 mm	no.	30% or 0,03 UA per mm less 87,5%	free	free
	.35 Other, with an aggregate of the inside diameter plus outside diameter plus width of 70 mm or more	no.	30% or 0,0275 UA per mm less 87,5%	free	free

	but not exceeding 126 mm				
	.90 Other	no.	free	free	free
84.62.23	Other tapered roller bearings:				
	.10 With an outside diameter of 31 mm or more but not exceeding 130 mm	no.	3%	free	free
	.90 Other	no.	free	free	free
84.62.25	Journal roller bearings of the end-cover type, commonly used on the axles of railway rolling stock and locomotives, with an outside diameter:				
	.10 Of less than 170 mm	no.	free	free	free
	.20 Of 170 mm or more but not exceeding 210 mm	no.	20%	free	free
	.30 Exceeding 210 mm	no.	free	free	free
84.62.30	Other roller bearings:				
	.10 With an outside diameter of 31 mm or more but not exceeding 130 mm	no.	3%	free	free
	.90 Other	no.	free	free	free
84.62.40	Needle roller bearings:				
	.10 With an outside diameter of 31 mm or more but not exceeding 130 mm	no.	3%	free	free
	.90 Other	no.	free	free	free
84.62.45	Outer rings of radial deep groove ball bearings with grooved ball track in bore, finished (excluding those with an outside diameter of less than 31 mm or exceeding 130 mm), with an aggregate of the outside diameter plus inside diameter plus width:				
	.10 Of 75 mm or more but not exceeding 110 mm	no.	30% or 0,005 UA per mm less 87,5%	free	free
	.15 Exceeding 110 mm but not exceeding 151 mm	no.	30% or 0,006 UA per mm less 87,5%	free	free
	.20 Exceeding 151 mm but not exceeding 188 mm	no.	30% or 0,0075 UA per mm less 87,5%	free	free
	.25 Exceeding 188 mm but not exceeding 229 mm	no.	30% or 0,0096 UA per mm less 87,5%	free	free

	.30 Exceeding 229 mm but not exceeding 270 mm	no.	30% or 0,0127 UA per mm less 87,5%	free	free
84.62.47	.90 Other Inner rings of radial deep groove ball bearings with grooved ball track on other diameter, finished (excluding those with an outside diameter of less than 20 mm or exceeding 95 mm), with an aggregate of the outside diameter plus inside diameter plus width:	no.	30%	free	free
	.10 Of 48 mm or more but not exceeding 74 mm	no.	30% or 0,0057 UA per mm less 87,5%	free	free
	.15 Exceeding 74 mm or more but not exceeding 99 mm	no.	30% or 0,0068 UA per mm less 87,5%	free	free
	.20 Exceeding 99 mm but not exceeding 133 mm	no.	30% or 0,0083 UA per mm less 87,5%	free	free
	.25 Exceeding 133 mm but not exceeding 158 mm	no.	30% or 0,011 UA per mm less 87,5%	free	free
	30 Exceeding 158 mm but not exceeding 192 mm	no.	30% or 0,0136 UA per mm less 87,5%	free	free
84.62.49	.90 Other Outer rings (cups), of tapered roller bearings, finished (excluding those with an outside diameter of less than 31 mm or exceeding 130 mm), with an aggregate of the minimum inside diameter plus width of 83 mm or more but not exceeding 152 mm	no. no.	30% 30% or 0,0087 UA per mm less 87,5%	free free	free free
84.62.51	Inner rings (cones), of tapered roller bearings, finished (excluding those with an inside diameter of less than 20 mm exceeding 95 mm), with an aggregate of the inside diameter plus width of 60 mm or more but not exceeding 124 mm	no.	30% or 0,0154 UA per mm less 87,5%	free	free

84.62.53	Outer rings of journal roller bearings, finished, of an outside diameter of 195 mm or more but not exceeding 196 mm or of 207 mm or more but not exceeding 209 mm	no.	20%	free	free
84.62.55	Inner rings of journal roller bearings, finished, of an inside diameter of 119 mm or more but not exceeding 120 mm or of 131 mm or more but not exceeding 132 mm	no.	20%	free	free
84.62.75	Other parts:				
	.10 Polished steel balls		30%	free	free
	.20 Rollers		30%	free	free
	.90 Other		30%	free	free

MADE this 21st day of August, 1981.

P.S. MMUSI,
Minister of Finance and Development Planning.

L2/7/172 XVIII