

Statutory Instrument No. 86 of 1985

CUSTOMS AND EXCISE DUTY ACT

(Cap. 50:01)

AMENDMENT OF SCHEDULES (NO. 45) NOTICE, 1985

(Published on 5th July, 1985)

IN EXERCISE of the powers conferred on the Minister of Finance and Development Planning by sections 50 and 51 of the Customs and Excise Duty Act, the Schedules to the Act are amended to the extent set out in the Schedule below.

SCHEDULE

Schedule No. 1 To The Act

	I Tariff Heading	II Statistical Unit	III Rate of Duty		IV M.F.N.
			Fiscal	General	
08.03	By the substitution for tariff heading No. 08.03 of the following: "08.03 FIGS, FRESH OR DRIED	kg	free	free	free"
85.23	By the substitution for sub-heading No. 85.23.13 of the following: "85.23.13 Communication, instrumentation and control wire and cable (excluding composite cable, co-axial cable and cable incorporating co-axial cable), of a length exceeding 50 m:				
	.05 Insulated or sheathed with artificial plastic material, armoured with wire or strip of iron or steel	kg	12,5% or 3,25 UA per kg less 87,5%	free	free
85.23.13	.15 Insulated or sheathed with artificial plastic material (excluding those armoured with wire or strip of iron or steel)	kg	12,5% or 3,25 UA per kg less 87,5%	free	free

I Tariff Heading	II Statistical Unit	III Rate of Duty Fiscal	IV Rate of Duty General	V M.F.N.	
.90 Other	kg	5%	free	free"	
By the substitution for subheadings Nos. 85.23.35, 85.23.37, 85.23.39, 85.23.41, 85.23.43, 85.23.45, 85.23.47 and 85.23.49 of the following:					
"85.23.35 Power wire and cable (excluding composite cable), of a length exceeding 50 m, with copper conductors, insulated with vinyl chloride polymers:					
.10 With conductor wires with a cross-sectional dimension not exceeding 0,51 mm and an insulation thickness of less than 2,2 mm	kg	12,5% or 2,75 UA per kg less 87,5%	free	free	
.15 With conductor wires with a cross-sectional dimension exceeding 0,51 mm and an insulation thickness of less than 2,2 mm, armoured with wire or strip of iron or steel	kg	12,5% or 2,00 UA per kg less 87,5%	free	free	
85.23.35	.25 With conductor wires with a cross-sectional dimension exceeding 0,51 mm and insulation thickness of less than 2,2 mm (excluding those armoured with wire or strip of iron or steel)	kg	12,5% or 4,00 UA per kg less 87,5%	free	free

I		II	III	IV	V	
Tariff Heading		Statistical Unit	Rate of Duty		M.F.N.	
			Fiscal	General		
	.33	With an insulation thickness of 2,2 mm or more but not exceeding 6 mm, armoured with wire or strip of iron or steel	kg	12,5% or 2,00 UA per kg less 87,5%	free	free
	.35	With an insulation thickness of 2,2 mm or more but not exceeding 6 mm (excluding those armoured with wire or strip of iron or steel)	kg	12,5% or 3,25 UA per kg less 87,5%	free	free
	.40	With an insulation thickness exceeding 6 mm	kg	12,5%	free	free
85.23.37		Power wire and cable (excluding composite cable), of a length exceeding 50 m, with aluminium conductors, insulated with vinyl chloride polymers:				
85.23.37	.10	With conductor wires with a cross-sectional dimension not exceeding 0,51 mm and an insulation thickness of less than 2,2 mm	kg	12,5% or 3,00 UA per kg less 87,5%	free	free
	.15	With conductor wires with a cross-sectional dimension exceeding 0,51 mm and an insulation thickness of less than 2,2 mm, armoured with wire	kg	12,5% or 2,00 UA per kg less 87,5%	free	free

I Tariff Heading	II Statistical Unit	III Rate of Duty Fiscal	IV General	V M.F.N.
or strip of iron or steel .25 With conductor wires with a cross- sectional dimension exceeding 0,51 mm and an insulation thickness of less than 2,2 mm (ex- cluding those ar- moured with wire or strip of iron or steel)	kg	12,5% or 6,00 UA per kg less 87,5%	free	free
.33 With an insulation thickness of 2,2 mm or more but not exceeding 6 mm, ar- moured with wire or strip of iron or steel	kg	12,5% or 2,00 UA per kg less 87,5%	free	free
85.23.37 .35 With an insulation thickness of 2,2 mm or more but not exceeding 6 mm (ex- cluding those ar- moured with wire or strip of iron or steel)	kg	12,5% or 4,50 UA per kg less 87,5%	free	free
.40 With an insulation thickness exceeding 6 mm	kg	12,5%		
85.23.39 Power wire and cable (ex- cluding composite cable), of a length exceeding 50 m, with copper conductors insulated with ethylene polymers, includ- ing cross-linked ethylene polymers:				
.10 With conductor wires with a cross- sectional dimension	kg	12,5% or 5,00 UA per kg	free	free

I Tariff Heading	II Statistical Unit	III Rate of Duty Fiscal	IV Rate of Duty General	V M.F.N.
		less 87,5%		
.20	kg	12,5% or 2,50 UA per kg less 87,5%	free	free
.30	kg	12,5% or 5,00 UA per kg less 87,5%	free	free
85.23.39 .35	kg	12,5% or 3,00 UA per kg less 87,5%	free	free
.45	kg	12,5% or 4,00 UA per kg less 87,5%	free	free

I		II	III	IV	V	
Tariff Heading		Statistical Unit	Rate of Duty		M.F.N.	
			Fiscal	General		
	.51	With conductors with a cross-sectional dimension not exceeding 23 mm and an insulation thickness exceeding 6 mm but not exceeding 35 mm, armoured with wire or strip of iron or steel	kg	12,5% or 2,75 UA per kg less 87,5%	free	free
85.23.39	.55	With conductors with a cross-sectional dimension not exceeding 23 mm and an insulation thickness exceeding 6 mm but not exceeding 35 mm (excluding those armoured with wire of iron or steel)	kg	12,5% or 3,50 UA per kg less 87,5%	free	free
	.61	With conductors with a cross-sectional dimension exceeding 23 mm and an insulation thickness exceeding 6 mm but not exceeding 35 mm, armoured with wire or strip of iron or steel	kg	12,5% or 2,75 UA per kg less 87,5%	free	free
	.65	With conductors with a cross-sectional dimension exceeding 23 mm and an insulation thickness exceeding 6 mm but not exceeding 35 mm (excluding those armoured with wire of iron or steel)	kg	12,5% or 3,50 UA per kg less 87,5%	free	free

I Tariff Heading	II Statistical Unit	III Rate of Duty Fiscal	IV Rate of Duty General	V M.F.N.
85.23.41 Power wire and cable (excluding composite cable), of a length exceeding 50 m, with aluminium conductors, insulated with ethy- lene polymers, in- cluding cross-linked ethylene polymers:	kg	5%	free	free
.70 With an insulation thickness exceeding 35 mm	kg	12,5% or 5,50 UA per kg less 87,5%	free	free
.10 With conductor wires with a cross-sectional dimension not exceeding 0,51 mm and an insula- tion thickness of less than 2 mm	kg	12,5% or 2,60 UA per kg less 87,5%	free	free
.20 With conductor wires with a cross-sectional dimension exceed- ing 0,51 mm and an insulation thickness of less than 2 mm	kg	12,5% or 2,60 UA per kg less 87,5%	free	free
.30 With conductor wires with a cross-sectional dimension not exceeding 0,51 mm and an insula- tion thickness of 2 mm or more but not exceeding 6 mm	kg	12,5% or 2,60 UA per kg less 87,5%	free	free

		I	II	III	IV	V
		Tariff Heading	Statistical Unit	Rate of Duty		M.F.N.
				Fiscal	General	
85.23.41	.35	With conductor wires with a cross-sectional dimension exceeding 0,51 mm and an insulation thickness of 2 mm or more but not exceeding 6 mm, armoured with wire or strip of iron or steel	kg	12,5% or 3,15 UA per kg less 87,5%	free	free
	.45	With conductor wires with a cross-sectional dimension exceeding 0,51 mm and an insulation thickness of 2 mm or more but not exceeding 6 mm (excluding those armoured with wire or strip of iron or steel)	kg	12,5% or 4,15 UA per kg less 87,5%	free	free
	.51	With conductors with a cross-sectional dimension not exceeding 23 mm and an insulation thickness exceeding 6 mm but not exceeding 35 mm, armoured with wire of iron or steel	kg	12,5% or 2,80 UA per kg less 87,5%	free	free
85.23.41	.55	With conductors with a cross-sectional dimension not exceeding 23 mm and an insulation thickness exceeding 6 mm but not exceeding	kg	12,5% or 4,25 UA per kg less 87,5%	free	free

I Tariff Heading	II Statistical Unit	III Rate of Duty Fiscal	IV Rate of Duty General	V M.F.N.
35 mm (excluding those armoured with wire of iron or steel) .61 With conductors with a cross-sectional dimension exceeding 23 mm and an insulation thickness exceeding 6 mm but not exceeding 35 mm, armoured with wire of iron or steel	kg	12,5% or 2,80 UA per kg less 87,5%	free	free
.65 With conductors with a cross-sectional dimension exceeding 23 mm and an insulation thickness exceeding 6 mm but not exceeding 35 mm (excluding those armoured with wire of iron or steel)	kg	12,5% or 4,25 UA per kg less 87,5%	free	free
.70 With an insulation thickness exceeding 35 mm	kg	5%	free	free
85.23.43 Power wire and cable (excluding composite cable), of a length exceeding 50 m, with copper conductors, insulated with rubber:				
.10 With conductor wires with a cross-sectional dimension not exceeding 0,51 mm and an insulation thickness of less than 2,2 mm (excluding those	kg	12,5% or 6,50 UA per kg less 87,5%	free	free

I Tariff Heading	II Statistical Unit	III Rate of Duty Fiscal	IV Rate of Duty General	V M.F.N.
<p>which are armoured, sheathed in lead or taped and braided)</p> <p>.20 With conductor wires with a cross- sectional dimension exceeding 0,51 mm and an insulation thickness of less than 2,2 mm (ex- cluding those which are armoured, sheathed in lead or taped and braided)</p>	kg	12,5% or 8,50 UA per kg less 87,5%	free	free
<p>.30 With conductor wires with a cross-sec- tional dimension not exceeding 0,51 mm and an insulation thickness of 2,2 mm or more but not ex- ceeding 6 mm (exclud- ing those which are armoured, sheathed in lead or taped and braided)</p>	kg	12,5% or 9,50 UA per kg less 87,5%	free	free
<p>85.23.43 .40 With conductor wires with a cross- sectional dimension exceeding 0,51 mm and an insulation thickness of 2,2 mm or more but not exceeding 6 mm (ex- cluding those which are armoured, sheathed in lead or taped and braided)</p>	kg	12,5% or 5,50 UA per kg less 87,5%	free	free
<p>.50 With conductor wires with a cross- sectional dimension</p>	kg	12,5% or 8,50 UA per kg	free	free

I Tariff Heading	II Statistical Unit	III Rate of Duty Fiscal	IV Rate of Duty General	V M.F.N.
not exceeding 0,51 mm and an insulation thickness exceeding 6 mm (excluding those which are armoured, sheathed in lead or taped and braided)		less 87,5%		
.60 With conductor wires with a cross-sectional dimension exceeding 0,51 mm and an insulation thickness exceeding 6 mm (excluding those which are armoured, sheathed in lead or taped and braided)	kg	12,5% or 9,50 UA per kg less 87,5%	free	free
.70 Armoured or sheathed in lead	kg	12,5% or 3,75 UA per kg less 87,5%	free	free
85.23.43 .80 Taped and braided	kg	12,5% or 9,00 UA per kg less 87,5%	free	free
85.23.45 Power wire and cable (excluding composite cable), of a length exceeding 50 m, with aluminium conductors, insulated with rubber:				
.10 With conductor wires with a cross-sectional dimension not exceeding 0,51 mm and an insulation thickness of less than 2,2 mm (excluding those which are armoured, sheathed	kg	12,5% or 8,50 UA per kg less 87,5%	free	free

I Tariff Heading	II Statistical Unit	III Rate of Duty Fiscal	IV Rate of Duty General	V M.F.N.
in lead or taped and braided) .20 With conductor wires with a cross-sectional dimension exceeding 0,51 mm and an insulation thickness of less than 2,2 mm (excluding those which are armoured, sheathed in lead or taped and braided)	kg	12,5% or 9,00 UA per kg less 87,5%	free	free
85.23.45 .30 With conductor wires with a cross-sectional dimension not exceeding 0,51 mm and an insulation thickness of 2,2 mm or more but not exceeding 6 mm (excluding those which are armoured, sheathed in lead or taped and braided)	kg	12,5% or 10,00 UA per kg less 87,5%	free	free
.40 With conductor wires with a cross-sectional dimension exceeding 0,51 mm and an insulation thickness of 2,2 mm or more but not exceeding 6 mm (excluding those which are armoured, sheathed in lead or taped and braided)	kg	12,5% or 8,50 UA per kg less 87,5%	free	free
.50 With conductor wires with a cross-sectional dimension not exceeding 0,51 mm and an insulation	kg	12,5% or 9,50 UA per kg less 87,5%	free	free

I Tariff Heading		II Statistical Unit	III Fiscal	IV General	V M.F.N.
85.23.45	thickness exceeding 6 mm (excluding those which are armoured, sheathed in lead or taped and braided)				
	.60 With conductor wires with a cross-sectional dimension exceeding 0,51 mm and an insulation thickness exceeding 6 mm (excluding those which are armoured, sheathed in lead or taped and braided)	kg	12,5% or 10,00 UA per kg less 87,5%	free	free
	.70 Armoured or sheathed in lead	kg	12,5% or 4,00 UA per kg less 87,5%	free	free
	.80 Taped and braided	kg	12,5% or 9,50 UA per kg less 87,5%	free	free
85.23.47	Power wire and cable (excluding composite cable), of a length exceeding 50 m, with copper conductors, insulated with paper (excluding those assisted with oil-pressure or gas-pressure):				
	.10 With an insulation thickness of less than 1,2 mm	kg	12,5% or 2,50 UA per kg less 87,5%	free	free

		I	II	III	IV	V
		Tariff Heading	Statistical Unit	Rate of Duty		M.F.N.
				Fiscal	General	
85.23.47	.20	With an insulation thickness of 1,2 mm or more but not exceeding 4 mm	kg	12,5% or 2,25 UA per kg less 87,5%	free	free
	.30	With an insulation thickness exceeding 4 mm but not exceeding 11 mm	kg	12,5% or 2,25 UA per kg less 87,5%	free	free
	.40	With an insulation thickness exceeding 11 mm	kg	12,5% or 2,75 UA per kg less 87,5%	free	free
85.23.49		Power wire and cable (excluding composite cable), of a length exceeding 50 m, with aluminium conductors, insulated with paper (excluding those assisted with oil-pressure or gas-pressure):				
	.10	With an insulation thickness of less than 1,2 mm	kg	12,5% or 2,50 UA per kg less 87,5%	free	free
	.20	With an insulation thickness of 1,2 mm or more but not exceeding 4 mm	kg	12,5% or 2,25 UA per kg less 87,5%	free	free
85.23.49	.30	With an insulation thickness exceeding 4 mm but not exceeding 11 mm	kg	12,5% or 3,75 UA per kg less 87,5%	free	free

I Tariff Heading	II Statistical Unit	III Rate of Duty Fiscal	IV Rate of Duty General	V M.F.N.
.40 With an insulation thickness exceeding 11 mm	kg	12,5% or 3,00 UA less 87,5%	free	free"
By the insertion after subheading No. 85.23.70.30 of the following:				
".40 Power wire and cable, insulated with vinyl chloride polymers or ethylene polymers, screened with aluminium	kg	12,5% or 3,00 UA per kg less 87,5%	free	free"

MADE this 9th day of April, 1985.

P.S. MMUSI,
*Vice-President and Minister of Finance
and Development Planning.*

L2/7/172